Index to Volume 46

Acridine orange, effect on sex factor multiplication in *Escherichia coli*, 73
Adelberg, E. A. (see also Sesnowitz-Horn, S.), 1, 17
Adesnik, M. and Levinthal, C., The synthesis and maturation of ribosomal RNA in *Escherichia coli*, 281
Anraku, N., Anraku, Y. and Lehman, I. R., Enzymic joining of polynucleotides. VIII. Structure of hybrids of parental T4 DNA molecules, 481
— and Lehman, I. R., Enzymic joining of polynucleotides. VII. Role of the T4-induced ligase in the formation of recombinant molecules, 467
Anraku, Y. (see also Anraku, N.), 481
L-Arabinose binding protein and arabinose permeation in *Escherichia coli*, 197
— · — operon, induction, 185
Azarashvili, T. S. (see also Podlubnaya, Z. A.), 591

Bacteriophage, f2, dependence of RNA replication on amino acids, 349
— λ, asymmetry of integration sites, 523
— —*dg*, integration and excision defect, 565
—, λ, studies on the nature of the prophage attachment region, 543
— M13, synthesis of mRNA directed by replicative form DNA, 359
— S13 *su N15* DNA and replicative form DNA, pyrimidine oligonucleotides, 145
—, T-even, disassembly into structural parts and subunits, 493
— T4, genetic determinant of an internal peptide, 377
— — induced ligase, role in the formation of recombinant molecules, 467
— —, mutagenic effect of sensitized irradiation, 157
— —, structure of hybrids of parental DNA molecules, 481
Bishop, J. M., Koch, G., Evans, B. and Merriman, M., Poliovirus replicative intermediate: Structural basis of infectivity, 235
Bittman, R., Studies of the binding of ethidium bromide to transfer ribonucleic acid: absorption, fluorescence, ultracentrifugation and kinetic investigations, 251
Bladder, mouse urinary, a hexagonal arrangement of subunits in membrane, 593
Blake C. C. F. (see also Osserman, E. F.), 211
Blow, D. W. (see also Steitz, T. A.), 337
Bobst, A. M., Rottman, F. and Cerutti, P. A., Effect of the methylation of the 2′-hydroxyl groups in polyadenylic acid on its structure in weakly acidic and neutral solutions and on its capability to form ordered complexes with polyuridylic acid, 221
Bollum, F. J. (see also Zmudzka, B.), 169
Bromodeoxyuridine photosensitization used to study DNA replication during episome transfer, 355
Brown, D. D. (see also Hallberg, R. L.), 393
Brown, N. C. and Reichard, P., Ribonuclease diphosphate reductase. Formation of active and inactive complexes of proteins B1 and B2, 25
— and —, Role of effector binding in allosteric control of ribonucleoside diphosphate reductase, 39
Brunori, M., Kinetics of oxygen binding by octopus haemocyanin, 213

Caspar, D. L. D. and Holmes, K. C., Structure of dahlemense strain of tobacco mosiac virus: a periodically deformed helix, 99
Černá, E. (see also Černý, R.), 145
Černý, R., Černá, E. and Spencer, J. H., Nucleotide clusters in deoxyribonucleic acids. IV. Pyrimidine oligonucleotides of bacteriophage S13 *su N15* DNA and replicative form DNA, 145
Cerutti, P. A. (see also Bobst, A. M.), 221
Champe, S. P. (see also Sternberg, N.), 377
α-Chymotrypsin, crystallographic studies of substrate inhibitors bound to the active site, 337
Cole, S. J. (see also Osserman, E. F.), 211
Conformation of *Escherichia coli* ribosomes altered by monovalent cations, protein synthesis, 513
— — furanose ring in nucleosides and nucleic acids, 585
Conformations of protein, refinement using a macromolecular energy minimization procedure, 269
rystalline ternary complexes of lactate dehydrogenase, 217
rystallization of light meromyosin, polymorphism, 591

Crystallographic data on human lysozyme, 211
— studies of substrate inhibitors bound to the active site of α-chymotrypsin, 337
Cytosine and guanosine, fractions of HeLa cell DNA differing in their content, 305

Dahlemense strain of tobacco mosaic virus, structure, 99
Deoxyribonucleic acid, collapse of single molecules in ethanol, 209
— —, fractions from HeLa cells differing in their content of guanine and cytosine, 305
— —, initiation of replication cycles in *Escherichia coli* following DNA synthesis inhibition, 135
— — molecular weight scale calibration, 313
— — of herpes simplex virus is not a substrate for methylation *in vivo*, 205
— — polymer and its complexes with poly ribo- and deoxyribouridylic acid, 169
— — pyrimidine oligonucleotides of bacteriophage S13 *su N15* DNA and replicative form DNA, 145
— —, repair replication in ultraviolet-irradiated *Mycoplasma laidlawii* B, 57
— — replication during episome transfer, studied by bromodeoxyuridine photosensitization, 355
— —, replicative form directs mRNA synthesis in the single stranded DNA bacteriophage M13, 359
— —, structure of hybrids of parental bacteriophage T4 DNA molecules, 481
— —, yeast mitochondrial, preferential synthesis in the absence of protein synthesis, 367
Drosophila ribosomal RNA, synthesis and properties, 85

Edelstein, S. J. (see also Goldberg, M. E.), 431
Eisenberg, R. J. and Pardee, A. B., DNA replication during episome transfer as studied by bromodeoxyuridine photosensitization, 355
Eisenstark, A. (see also To, C. M.), 493
Embryos of *Xenopus laevis*, co-ordinated synthesis of some ribosomal proteins and ribosomal RNA, 393
Episome transfer, DNA replication studied by bromodeoxyuridine photosensitization, 355
Erythrocyte ghost protein, negative contrast staining features, 329
Escherichia coli, an iron-dependent modification of several tRNA species, 581
— —, arabinose permeation and an L-arabinose binding protein, 197
— —, effect of acridine orange on sex factor multiplication, 73
— —, enzyme analyses of proflavin-induced mutations in the L-arabinose operon, 17
— —, initiation of DNA replication cycles following DNA synthesis inhibition, 135
— —, production and genetic analyses of proflavin-induced mutations in the L-arabinose operon, 1
— —, protein synthesis with ribosomes altered in conformation by monovalent cations, 513
— — ribosomal RNA synthesis and maturation, 281
— —, structural sites for synthesis of RNA, 413
— —, tertiary structure of β-D-galactosidase, 441
Ethidium bromide binding to tRNA, absorption, fluorescence, ultracentrifugation and kinetic investigations, 251
— —, mitrochondial-associated 4 s RNA synthesis inhibition by ethidium bromide, 201
Evans, B. (see also Bishop, J. M.), 235

f2 (see Bacteriophage)
Finch, J. T. and Klug, A., Two double helical forms of polyriboadenylic acid and the pH-dependent transition between them, 597
Frameshift revertant of *Salmonella typhimurium* produces histidinol dehydrogenase with four extra amino acid residues, 459
Friesen, J. D., Dependence of f2 bacteriophage RNA replication on amino acids, 349
Furanose ring conformation in nucleosides and nucleic acids, 585

β-D-Galactosidase of *Escherichia coli*, tertiary structure, 441
β-Galactosidase, complemented, subunit structure using sedimentation equilibrium, 431
Gefter, M. L. (see also Rosenberg, A. H.), 581
Genetic determinant of an internal peptide of bacteriophage T4, 377
— markers, *inv*, occurrence in the subgroups of human kappa chains, 599
Ghost of erythrocyte, negative contrast staining features of the protein, 329
Goldberg, M. E., On the tertiary structure of *Escherichia coli* β-D-galactosidase, 441
— and Edelstein, S. J., Sedimentation equilibrium of paucidisperse systems. Subunit structure of complemented β-galactosidase, 431
Goldring, E. S. (see also Grossman, L. I.), 367
Gottesman, M. E. (see also Weisberg R. A.), 565
Granboulan, P. (see also Rouvière, J.), 413

Greenberg, J. R., Synthesis and properties of ribosomal RNA in *Drosophila*, 85
Gros, F. (see also Rouvière, J.), 413
Grossman, L. I., Goldring, E. S. and Marmur, J., Preferential synthesis of yeast mitochondrial DNA in the absence of protein synthesis, 367
Guanine and cytosine, fractions of HeLa cell DNA differing in their content, 305
Guerrini, F., On the asymmetry of λ integration sites, 523

Haas, D. J. (see also Leberman, R.), 217
Haemocyanin, octopus, kinetics of oxygen binding, 213
Hallberg, R. L. and Brown, D. D., Co-ordinated synthesis of some ribosomal proteins and ribosomal RNA in embryos of *Xenopus laevis*, 393
Hanawalt, P. C. (see also Smith, D. W.), 57
— (see also Stein, G.), 135
Harris, J. R., Some negative contrast staining features of a protein from erythrocyte ghosts, 329
Hay, J. (see also Low, M.), 205
HeLa cell DNA fractions differing in their content of guanine and cytosine, 305
Henderson, R. (see also Steitz, T. A.), 337
Herpes simplex virus, DNA is not a substrate for methylation *in vivo*, 205
Histidinol dehydrogenase with a sequence of four extra amino-acid residues produced by a frameshift revertant of *Salmonella typhimurium*, 459
Hofschneider, P. H. (see also Jacob, E.), 359
Holmes, K. C. (see also Caspar, D. L. D.), 99
Human kappa chains, occurrence of the *inv* genetic markers in the subgroups, 599
— lysozyme, preliminary crystallographic data, 211

Immunoglobulin, the occurrence of the *inv* genetic markers in the subgroups of human kappa chains, 599
Infectivity of poliovirus replicative intermediate, structural basis, 235
Initiation of DNA replication cycles in *Escherichia coli* following DNA synthesis inhibition, 135
Integration and excision defect of bacteriophage *λdg*, 565

Jacob, E. and Hofschneider, P. H., Replication of the single stranded DNA bacteriophage M13: messenger RNA synthesis directed by M13 replicative form DNA, 359
Jarvis, J. M. (see also Milstein, C.), 599

Kalamkarova, M. B. (see also Podlubnaya, Z. A.), 591
Kappa chains, human, occurrence of the inv genetic markers in the subgroups, 599
Keir, H. M. (see also Low, M.), 205
Kellenberger, E. (see also To, C. M.), 493
Kimball, P. C. (see also Signer, E. R.), 543
Kinetics of oxygen binding for octopus haemocyanin, 213
Klug, A. (see also Finch, J. T.), 597
Koch, G. (see also Bishop, J. M.), 235

λ (see Bacteriophage)
Lactate dehydrogenase, crystalline ternary complexes, 217
Lang, D., Collapse of single DNA molecules in ethanol, 209
Leberman, R., Smiley, I. E., Haas, D. J. and Rossmann, M. G., Crystalline ternary complexes of lactate dehydrogenase, 217
Lederberg, S. (see also Rouvière, J.), 413
Lehman, I. R. (see also Anraku, N.), 467, 481
Leighton, S. B. and Rubenstein, I., Calibration of molecular weight scales for DNA, 313
Levinthal, C. (see also Adesnik, M.), 281
Levitt, M. and Lifson, S., Refinement of protein conformations using a macromolecular energy minimization procedure, 269
Lifson, S. (see also Levitt, M.), 269
Liver, rat, ribosomal subunits, interaction with polypeptide-chain elongation factors, 447
Longley, W. (see also Vergara, J.), 593
Low, M., Hay, J. and Keir, H. M., DNA of herpes simplex virus is not a substrate for methylation *in vivo*, 205
Lysozyme, human, preliminary crystallographic data, 211

Macromolecular energy minimization procedure for the refinement of protein conformations, 269
Maio, J. J. (see also Schildkraut, C. L.), 305
Marmur, J. (see also Grossman, L. I.), 367
Maruta, H., Natori, S. and Mizuno, D., Protein synthesis with *Escherichia coli* ribosomes altered in conformation by monovalent cations, 513
Meistrich, M. L. and Shulman, R. G., Mutagenic effect of sensitized irradiation of bacteriophage T4, 157
Meromyosin, light, polymorphism of crystallization, 591
Merriman, M. (see also Bishop, J. M.), 235
Messenger RNA synthesis in the single stranded DNA bacteriophage M13, directed by replicative form DNA, 359
Milstein, C., Milstein, C. P., Ropartz, C. and Jarvis, J. M., The occurrence of the *inv* genetic markers in the subgroups of human kappa chains, 599
Milstein, C. P. (see also Milstein, C.), 599
Mitochondrial-associated 4 s RNA synthesis inhibition by ethidium bromide, 201
— DNA of yeast, preferential synthesis in the absence of protein synthesis, 367
Mizuno, D. (see also Maruta, H.), 513
Moldave, K. (see also Rao, P.), 447
Molecular weight scales for DNA, calibration, 313
Mouse urinary bladder, a hexagonal arrangement of subunits in membrane, 593
Mutations in the L-arabinose operon of *Escherichia coli*, proflavin induction and genetic analysis, 1
Mycoplasma laidlawii B, ultraviolet-irradiated, repair replication of DNA, 57

Nankina, V. P. (see also Podlubnaya, Z. A.), 591
Natori, S. (see also Maruta, H.), 513
Negative contrast staining features of a protein from erythrocyte ghosts, 329
Nucleoside, two double helical forms of polyriboadenylic acid and the pH-dependent transition between them, 597
Nucleosides and nucleic acids, furanose ring conformation, 585

Octopus haemocyanin, kinetics of oxygen binding, 213
Oligonucleotides, pyrimidine, of bacteriophage S13 *su N15* DNA and replicative form DNA, 145
Operon for L-arabinose, induction, 185
Osserman, E. F., Cole, S. J., Swan, I. D. A. and Blake, C. C. F., Preliminary crystallographic data on human lysozyme, 211

Pardee, A. B. (see also Eisenberg, R. J.), 355
Paucidisperse systems, sedimentation equilibrium, 431
Penman, S. (see also Zylber, E.), 201
Photosensitization using bromodeoxyuridine, DNA replication during episome transfer studied, 355
Podlubnaya, Z. A., Kalamkarova, M. B., Azarashvili, T. S. and Nankina, V. P., Polymorphism of the light meromyosin crystallization, 591
Poliovirus replicative intermediate, structural basis of infectivity, 235
Polyadenylic acid, effect of the methylation of the 2′-hydroxyl groups on its structure in weakly acidic and neutral solutions and on its capability to form ordered complexes with polyuridylic acid, 221
Polydeoxyribouridylic acid and its complexes with poly ribo- and deoxyriboadenylic acids, 169
Polymorphism of the light meromyosin crystallization, 591
Polynucleotides, enzymic joining, 481
Polypeptide-chain elongation factors, interaction with rat liver ribosomal subunits, 447
Polyriboadenylic acid, two double helical forms and the pH-dependent transition between them, 597
Polyuridylic acid and polyadenylic acid, ordered complexes, effect of the methylation of the 2′-hydroxyl groups in polyadenylic aid, 221
Proflavin-induced mutation analyses in the L-arabinose operon of *Escherichia coli*, 17
— - — mutations in the L-arabinose operon of *Escherichia coli*, production and genetic analyses, 1
Protein conformations, refinement using a macromolecular energy minimization procedure, 269
— synthesis with *Escherichia coli*, ribosomes altered in conformation by monovalent cations, 513
Pyrimidine oligonucleotides of bacteriophage S13 *su N15* DNA and replicative form DNA, 145

Rahman, A. (see also Wilson, H. R.), 585
Rao, P. and Moldave, K., The interaction of polypeptide-chain elongation factors with rat liver ribosomal subunits, 447

Rat liver ribosomal subunits, interaction with polypeptide-chain elongation factors, 447
Recombination in bacteriophage λ, nature of the prophage attachment region, 543
Reichard, P. (see Brown, N. C.), 25, 39
Replication of RNA in f2 bacteriophage, dependence on amino acids, 349
Replicative form DNA directs synthesis of mRNA in the single stranded DNA bacteriophage M13, 359
Ribo- and deoxyriboadenylic acid polymers, their complexes with poly deoxyribouridylic acid, 169
Ribonucleic acid, *Drosophila* ribosomal, synthesis and properties, 85
— —, messenger, synthesis in the single stranded DNA bacteriophage M13, directed by replicative form DNA, 359
— —, mitochondrial-associated 4 s RNA synthesis inhibition by ethidium bromide, 201
— — replication in f2 bacteriophage, dependence on amino acids, 349
— —, ribosomal and ribosomal proteins, co-ordinated synthesis in embryos of *Xenopus laevis*, 393
— —, —, synthesis and maturation in *Escherichia coli*, 281
— —, structural sites of synthesis in *Escherichia coli*, 413
— —, transfer, an iron-dependent modification of several species in *Escherichia coli*, 581
— —, —, ethidium bromide binding, absorption, fluorescence, ultracentrifugation and kinetic investigations, 251
Ribosomal RNA and ribosomal proteins, co-ordinated synthesis in embryos of *Xenopus laevis*, 393
— subunits of rat liver, interaction with polypeptide-chain elongation factors, 447
Ribosomes of *Escherichia coli* altered in conformation by monovalent cations, 513
Robertson, J. D. (see also Vergara, J.), 593
Ropartz, C. (see also Milstein, C.), 599
Rosenberg, A. H. and Gefter, M. L., An iron-dependent modification of several transfer RNA species in *Escherichia coli*, 581
Rossmann, M. G. (see also Leberman, R.), 217
Rottman, F. (see also Bobst, A. M.), 221
Rouvière, J., Lederberg, S., Granboulan, P. and Gros, F., Structural sites of RNA synthesis in *Escherichia coli*, 413
Rubenstein, I. (see also Leighton, S. B.), 313

Salmonella typhimurium frameshift revertant producing histidinol dehydrogenase with a sequence of four extra amino-acid residues, 459
Schildkraut, C. L. and Maio, J. J., Fractions of HeLa DNA differing in their content of guanine + cytosine, 305
Schleif, R., An L-arabinose binding protein and arabinose permeation in *Escherichia coli*, 197
—, Induction of the L-arabinose operon, 185
Sesnowitz-Horn, S. and Adelberg, E. A., Proflavin-induced mutations in the L-arabinose operon of *Escherichia coli*. II. Enzyme analyses of the mutants, 17
— and —, —.— — — — — —.— — — — —. I. Production and genetic analyses of such mutations, 1
Sex factor multiplication in *Escherichia coli*, effect of acridine orange, 73
Shugar, D. (see also Zmudzka, B.), 169
Shulman, R. G. (see also Meistrich, M. L.), 157
Signer, E. R., Weil, J. and Kimball, P. C., Recombination in bacteriophage λ. III. Studies on the nature of the prophage attachment region, 543
Smiley, I. E. (see also Leberman, R.), 217
Smith, D. W. and Hanawalt, P. C., Repair replication of DNA in ultraviolet-irradiated *Mycoplasma laidlawii* B, 57
Spencer, J. H. (see also Černý, R.), 145
Stein, G. and Hanawalt, P., Initiation of DNA replication cycles in *Escherichia coli* following DNA synthesis inhibition, 135
Steitz, T. A., Henderson, R. and Blow, D. M., Structure of crystalline α-chymotrypsin. III. Crystallographic studies of substrates inhibitors bound to the active site of α-chymotrypsin, 337
Sternberg, N. and Champe, S. P., Genetic determinant of an internal peptide of bacteriophage T4, 377
Structural sites of RNA synthesis in *Escherichia coli*, 413
Swan, I. D. A. (see also Osserman, E. F.), 211

T-even (see Bacteriophage)
T4 (see Bacteriophage) 157, 377, 467, 481
Tanemura, S. and Yourno, J., Frameshift revertant of *Salmonella typhimurium* producing histidinol dehydrogenase with a sequence of four extra amino-acid residues, 459

Tertiary structure of *Escherichia coli* β-D-galactosidase, 441
To, C. M., Kellenberger, E. and Eisenstark, A., Disassembly of T-even bacteriophage into structural parts and subunits, 493
Tobacco mosaic virus, structure of the dahlemense strain which has a periodically deformed helix, 99
Tollin, P. (see also Wilson, H. R.), 585
Transfer RNA, an iron-dependent modification of several species in *Escherichia coli*, 581
— — binding of ethidium bromide, absorption, fluorescence, ultracentrifugation and kinetic investigations, 251

Uchida, H. (see also Yamagata, H.), 73
Urinary bladder of mouse, a hexagonal arrangement of subunits in membrane, 593

Vergara, J., Longley, W. and Robertson, J. D., A hexagonal arrangement of subunits in membrane of mouse urinary bladder, 593

Weil, J. (see also Signer, E. R.), 543
Weisberg, R. A. and Gottesman, M. E., The integration and excision defect of bacteriophage λ*dg*, 565
Wilson, H. R., Rahman, A. and Tollin, P., Furanose ring conformation in nucleosides and nucleic acids, 585

Xenopus laevis embryos, co-ordinated synthesis of some ribosomal proteins and ribosomal RNA, 393

Yamagata, H. and Uchida, H., Effect of acridine orange on sex factor multiplication in *Escherichia coli*, 73
Yeast mitochondrial DNA, preferential synthesis in the absence of protein synthesis, 367
Yourno, J. (see also Tanemura, S.), 459

Zmudzka, B., Bollum, F. J. and Shugar, D., Poly deoxyribouridylic acid and its complexes with poly ribo- and deoxyriboadenylic acids, 169
Zylber, E. and Penman, S., Mitochondrial-associated 4 s RNA synthesis inhibition by ethidium bromide, 201